

[™] *Phyto*Technology Laboratories, LLC™

Helping to Build a Better Tomorrow through Plant Science™

Product Information Sheet

M511 Murashige Modified Kalanchoe Multiplication Basal Medium

Properties

Form: Fine to Fluffy Powder

Appearance: White to Yellow Powder

Application: Plant Tissue Culture

Solubility: Water

Typical Working Concentration: 4.41 g/L

Storage Temp: 2-6°

Storage Temp of Preparation of concentrated solutions is not recommended as insoluble

Stock Solution: precipitates may form.

Other Notes: Contains the macro- and micronutrients as described by Murashige and

Skoog (1962) and the vitamins described by Linsmaier and Skoog (1965). Also contains (mg/L): 3.0 2iP and Ferric Sodium EDTA in place of Ferrous

Sulfate and Disodium EDTA.

Formula (mg/L)

Ammonium Nitrate	1650
Boric Acid	6.2
Calcium Chloride, Anhydrous	333
Cobalt Chloride•6H ₂ O	0.025
Cupric Sulfate•5H₂O	0.025
Ferric Sodium EDTA	36.7
Magnesium Sulfate, Anhydrous	181
Manganese Sulfate•H ₂ O	16.9
Molybdic Acid (Sodium Salt)• 2H ₂ O	0.25

Potassium lodide	0.83
Potassium Nitrate	1900
Potassium Phosphate, Monobasic	170
Zinc Sulfate•7H ₂ O	8.6
myo-Inositol	100
6-γ,γ-Dimethylallylaminopurine (2iP)	3.0
Thiamine•HCl	0.4

Application Notes

Plant Tissue Culture Tested Plant species: Kalanchoe

References

Murashige, T and F Skoog. 1962. A revised medium for rapid growth and bioassays with tobacco tissue cultures. Physiol. Plant. 15: 473-497.

Linsmaier, EM and F Skoog. 1965. Organic growth factor requirements of tobacco tissue cultures. Physiol. Plant. 18: 100-127.

India Contact

Life Technologies (India) Pvt Ltd.



™ *Phyto*Technology Laboratories, LLC™

Helping to Build a Better Tomorrow through Plant Science™

Product Information Sheet

Revised 3/2007

India Contact