

# **PhytoTechnology Laboratories®**

# **Product Information Sheet**

M5600 Meropenem

Synonyms: Mesalazine; Mesalamine

CAS: 96036-03-2 Formula:  $C_{17}H_{25}N_3O_5S$ Mol. Weight: 383.46

### **Properties**

Form: Powder

Appearance: White to Light Yellow

Application: Antibiotic Solubility: Water Storage Temp: 2-6°C

Typical Working Concentration:

Varies by application. Concentration should be determined by end user.

Other Notes: Plant Tissue Culture Tested

### **Application Notes**

A broad spectrum antibiotic that has a high affinity for cell wall-synthesizing enzymes. Meropenem is very effective because it resists inactivation by the majority of microbial LACTB (β-lactamases). It is a beta-lactam and belongs to the subgroup of carbapenem. Meropenem is bactericidal except against Listeria monocytogenes where it is bacteriostatic. It inhibits bacterial wall synthesis like other beta-lactam antibiotics. In contrast to other beta-lactams, it is highly resistant to degradation by beta-lactamases or cephalosporinases.

The spectrum of action includes many gram-positive and gram-negative bacteria (including Pseudomonas) and anaerobic bacteria.

Konagaya et al. note the successful elimination of Agrobacterium from Cryptomeria japonica (Japanese cedar) cultures using a concentration of 10 mg/L of Meropenem without observing phytotoxic effects.

#### References

Kayser, F H., et al., (1989) Activity of meropenem, against gram-positive bacteria. The Journal of antimicrobial chemotherapy. 24: 101-12.

Konagaya, K. I., Kurita, M., & Taniguchi, T. (2013). High-efficiency Agrobacterium-mediated transformation of Cryptomeria iaponica D. Don by co-cultivation on filter paper wicks followed by meropenem treatment to eliminate Agrobacterium. Plant Biotechnology, 30(5), 523-528.

## **India Contact**